


PIN+ Mini-C Release3.1 FIDO2, U2F and TOTP Security Key with PIN complexity

Part no: PINPlusMiniC · T2-109



Description

The PIN+ MiniC is a miniature FIDO2 Security key with a USB Type-C port, featuring advanced PIN complexity at the firmware. The device is small enough to be constantly plugged in, however it can be carried as well due to a keyring hole on the casing. This device runs Release 3.1 of our firmware.

What's New in Release3.1

- **OpenPGP Applet:** Release3.1 introduces an OpenPGP applet, adding compatibility with [OpenPGP software](#) for secure digital signing, encryption, and authentication. Different from Release3, the OpenPGP applet in Release3.1 firmware features RSA4096, ed25519, x25519 algorithms and the UIF functionality

FIDO Security Keys

FIDO security keys are small USB dongles that enable secure login to websites and applications supporting FIDO2 WebAuthn and classic FIDO (U2F) standards. With Release3 of our PIN+ Series, you can now store up to 300 passkeys (also known as resident keys or discoverable credentials) on a single device.

The PIN+ MiniC combines hardware-based authentication, public-key cryptography, TOTP/HOTP, U2F, and FIDO2 protocols to protect your accounts. This device provides the highest level of multifactor authentication for user accounts with platforms such as Twitter, Facebook, Gmail, GitHub, Dropbox, Dashlane, Salesforce, Duo, Centrify, and hundreds more. HOTP, U2F, and FIDO2 compatible services. No additional tools or applications are required; simply insert the Security Key into a USB-TypeC slot and authenticate with a simple touch. The security key does not require a battery nor network connectivity – it is always on and accessible.

Specifications

Model Number	PIN+ MiniC
Button	Capacitive interface button
Functions	FIDO U2F + FIDO2.1 WebAuthn + HOTP (HID) + TOTP (with a companion app)
OpenPGP	RSA2048, RSA3072, RSA4096 secp256r1, secp256k1, secp384r1, secp521r1 ed25519, x25519 User Interaction Flags (UIF)
Embedded Security Algorithm	ECDSA, SHA256, AES, HMAC, ECDH
SSH with FIDO Support	ecdsa-sk & ed25519-sk
Interface Type	USB Type-C
Firmware	FIDO 2.1 Token2 PIN complexity enforcement
Maximum FIDO2.1 Resident Keys	300
Maximum OTP Profiles	50 TOTP/HOTP via the app + 1 HOTP via HID
Lifetime	At least 10 years
Programming Cycles	100,000 times
Communication Protocol	CTAP2.1, HID
Working Voltage	5.0V DC
Input Current	35mA
Power	0.18W
Working Temperature	-10°C - 50°C
Dimensions	24 mm x 15 mm x 6 mm
Storage Temperature	-20°C - 70°C

Enhanced Water Resistance

This model features a specialized PCB (Printed Circuit Board) coating for enhanced water resistance, ensuring durability against water ingress and safeguarding your data in any environment.

TOTP Feature

This security key can securely store the secrets for your TOTP profiles but requires a [companion app](#) (available for Android, iPhone, Windows, and cross-platform via a Python tool for Linux, macOS, and similar systems) to generate OTPs.

Disclaimer: Visuals are for illustration only. Actual product, colors, or features may vary.

Specifications

GENERAL	
Form factor	Mini (USB-C)
Interface	USB-C
CONNECTIVITY	
USB-C	Yes
OTP	
OTP protocols	TOTP, HOTP
TOTP	Yes
HOTP	Yes
FIDO	
U2F	Yes
FIDO certification	L2
Minimum PIN policy	6 digits, complexity enforced
OpenPGP support	Yes
DIMENSIONS	
Dimensions	24×15×6