TOKEN2 Sàrl
Geneva, Switzerland
www.token2.com

PIN+ Release3.3 TypeC Nonbranded

Part no: T2F2PINPlusRel3.3PIVTypeCNB · T2-115





Description

The PIN+ Release3.3 TypeC (non-branded) is an NFC-enabled FIDO2 Security key with a USB Type-C port, featuring advanced PIN complexity at the firmware level. With an NFC chip onboard, this FIDO2 key can be used natively on modern iPhones (starting from iOS 13.3) and on Android devices with NFC support. This model includes a capacitive sensor-type integrated touch-button and is only 6 mm thick.

This is the **non-branded** version of the key: it ships without any brand name, logo, or marking on the casing (only the serial number and its QR image on one side). It is functionally identical to the branded model — same firmware, features, and specifications — and is intended for customers who prefer a neutral, unmarked device or plan to apply their own branding.

Firmware 3.3 Release

Version 3.3 adds PIV functionality to existing features.

FIDO Security Keys

FIDO security keys are small USB dongles that enable secure login to websites and applications supporting FIDO2 WebAuthn and classic FIDO (U2F) standards. With our PIN+ Series, you can now store up to 300 passkeys (also known as resident keys or discoverable credentials) on a single device.

The PIN+ Release3.3 TypeC combines hardware-based authentication, public-key cryptography, TOTP/HOTP, U2F, and FIDO2 protocols to protect your accounts. This device provides the highest level of multifactor authentication for user accounts with platforms such as Twitter, Facebook, Gmail, GitHub, Dropbox, Dashlane, Salesforce, Duo, Centrify, and hundreds more HOTP, U2F, and FIDO2 compatible services. No additional tools or applications are required; simply insert the Security Key into a USB-TypeC slot and authenticate with a simple touch. The security key does not require a battery nor network connectivity – it is always on and accessible.

Specifications

Model Number	PIN+ Release3.3 TypeC (non-branded)
Button	Capacitive interface button
Functions	FIDO U2F + FIDO2.1 WebAuthn + HOTP (HID) + TOTP (with a companion app)
OpenPGP	RSA2048, RSA3072, RSA4096 secp256r1, secp256k1, secp384r1, secp521r1 ed25519, x25519 User Interaction Flags (UIF), Key Derived Function (KDF)
Embedded Security Algorithm	ECDSA, SHA256, AES, HMAC, ECDH
SSH with FIDO Support	ecdsa-sk & ed25519-sk
Interface Type	NFC, USB Type-C
Included Accessories	**Leather protective case**
Firmware	FIDO 2.1 PIN complexity enforcement
Maximum FIDO2.1 Resident Keys	**300**
Maximum OTP Profiles	50 TOTP/HOTP via the app + 1 HOTP via HID
Lifetime	At least 10 years
Programming Cycles	100,000 times
Communication Protocol	CTAP2.1, HID, NFC
Working Voltage	5.0V DC
Input Current	35mA
Power	0.18W
Working Temperature	-10℃ - 50℃
Dimensions	42.1 mm x 17 mm x 6 mm
Storage Temperature	-20℃ - 70℃

Enhanced Water Resistance

This model features a specialized PCB (Printed Circuit Board) coating for enhanced water resistance, ensuring durability against water ingress and safeguarding your data in any environment.

TOTP Feature

The PIN+/TypeC Security key can securely store the secrets for your TOTP profiles but requires a companion app (available for Android, iPhone, Windows, and cross-platform via a Python tool for Linux, macOS, and similar systems) to generate OTPs.

---

iOS Support

Native support of NFC FIDO2 Keys in iPhone Safari

Integration Guides

Using Your Security Key with Google

Passwordless authentication in Azure AD with FIDO2 keys

FIDO U2F security key for Stripe

Using FIDO2 USB keys under Linux

Specifications

GENERAL	
Form factor	Plastic case
Interface	USB-C, NFC
CONNECTIVITY	
USB-A	No
USB-C	Yes
NFC	Yes
Smart card	No
OTP	
OTP protocols	TOTP, HOTP
TOTP	Yes
HOTP	Yes
FIDO	
U2F	Yes
FIDO certification	L2
Minimum PIN policy	6 digits, complexity enforced
OpenPGP support	Yes

PIV support	Yes
Biometric	No
AAGUID	eabb46cc-e241-80bf-ae9e-96fa6d2975cf
DIMENSIONS	
Dimensions	42×17×6